



N64W23760 Main Street
Sussex, Wisconsin 53089
Phone (262) 246-5200
FAX (262) 246-5222
Email: info@villagesussex.org
Website: www.villagesussex.org

AGENDA
PUBLIC SAFETY & WELFARE COMMITTEE
VILLAGE OF SUSSEX
6:00 P.M. TUESDAY, FEBRUARY 16, 2021
SUSSEX CIVIC CENTER – COMMITTEE ROOM 2nd FLOOR
N64W23760 MAIN STREET

Pursuant to the requirements of Section 19.84, Wis. Stats., notice is hereby given of a meeting of a Village Committee, at which a quorum of the Village Board may attend in order to gather information about a subject which they have decision making responsibility. The meeting will be held at the above noted date, time and location. Notice of Village Board Quorum, (Chairperson to announce the following if a quorum of the Village Board is in attendance at the meeting: Please let the minutes reflect that a quorum of the Village Board is present and that the Village Board members may be making comments under the Public Comments section of the agenda, during any Public Hearing(s) or if the rules are suspended to allow them to do so.)

1. Roll call
2. Consideration and possible action on minutes from meeting of December 15, 2020.
3. Discussion and possible action on Police Items:
 - A. Deer Management Concerns
 - B. Police Chief's Report
4. Discussion and possible action on Fire Items
 - A. Ambulance Purchase Quotes
 - B. Engine Response on Certain Ambulance Call Policy
 - C. Fire Chief's Report
5. Adjournment.

Wendy Stallings
Chairperson

Jeremy Smith
Village Administrator

Please note that, upon reasonable notice, efforts will be made to accommodate the needs of disabled individuals through appropriate aids and services. For additional information or to request this service, contact Jeremy Smith at 246-5200.

VILLAGE OF SUSSEX
SUSSEX, WISCONSIN

Minutes of the Public Safety & Welfare Committee meeting held on December 15, 2020.

The meeting was called to order at 6:00 p.m.

Members present: Martin Lastrilla, Wendy Stallings, Greg Zoellick and Ron Wells.

Members excused: None

Staff present: Village Administrator Jeremy Smith, Assistant Administrator Kelsey McElroy Anderson, Fire Chief Kris Grod, Director of Police Services Lisa Panas.

Others present: Ed Henschel and Chief Whitaker from RW Management, Village President Anthony LeDonne and Village Trustee Lee Uecker

A motion by Stallings, seconded by Zoellick, to approve the July 21, 2020 minutes as presented.
Motion carried 4-0.

A motion by Stallings, seconded by Zoellick to approve Resolution 21-01 updating portions of the Bond Schedule for various violations.
Motion carried 4-0

Ed Henschel and Chief Whitaker presented the results of Sussex Fire/EMS shared services and operational review. See the report for more information. The Committee thanked RW Management for the study and its information.

Director of Police Services Lisa Panas gave her report and stats for the department for the last several months.

Fire Chief Grod gave his report and stats for the Department for the last several months.


A motion by Stallings, seconded by Lastrilla to adjourn the meeting at 6:59 pm.
Motion carried 4-0.

Respectfully submitted,

Jeremy Smith
Village Administrator



OFFICE OF THE SHERIFF



515 W. Moreland Blvd.
Box 1488
Waukesha, WI 53187

Waukesha County Jail
Box 0217
Waukesha, WI 53187

Waukesha County Huber
1400 Northview Road
Waukesha, WI 53188

ERIC SEVERSON, *Sheriff*

February 11, 2021

Public Safety Committee

Members,

At the request of the Public Safety Committee, I have prepared preliminary research to consider regarding a Deer Management Program in the Village of Sussex.

A Deer Management Program would be implemented with the intent to monitor and manage the deer population within the Village of Sussex. This type of program is generally instituted when the deer population within a community contribute to health and safety concerns and excessive complaints of nuisance, property damage and plant eradication.

The scope and impact of the excessive deer population within the Village of Sussex has not yet been determined. In order to do this, we can evaluate the impact of the deer population by evaluating citizen complaints and the amount of motor vehicle accidents that are caused by deer. Another common practice to determine the deer population would be to conduct an aerial count survey.

OPTIONS

There are several options for Deer Management within a community which are briefly described below:

- **Sharpshooters:** Utilize sharpshooters to bait and humanely dispatch the deer. This method requires the Village to partner with the Department of Natural Resources (DNR) to obtain permits/tags. A professional sharpshooter organization would be hired by the Village of Sussex to dispatch the deer in safe locations. Both public and private locations are acceptable. The locations are based on excessive citizen complaints in specific areas and areas that are determined to have high deer populations based on the aerial count survey. Private locations require the resident to agree and sign a waiver. The final site location should be determined in conjunction with the sharpshooter contractor, DNR, Waukesha Sheriff's Captain and the Village of Sussex Administrator or designee. The program would generally take place between January and March. There are several options for disposal of the deer. Examples include, partnering with a butcher and donating the meat to a food pantry, conducting a raffle or allowing the public to sign up to claim the deer on a first come basis.

Utilization of professional bow hunters is another option in the above described plan, however not nearly as effective.

An Accredited Law Enforcement Agency

Administration: 262-548-7126 Records: 262-548-7156 Process: 262-548-7151 Jail: 262-548-7170 Huber: 262-548-7181 Fax: 262-548-7887

Utilizing sharpshooters to eradicate approximately 40 deer annually is an approximate annual cost of \$15,000. The exact cost of the program cannot be determined until a contractor would be set in place as cost varies per organization. This estimate is based off of other municipalities past expenses.

Pursuant to DNR regulations, consent would need to be obtained in writing from all the residence who own property within 300 feet of the shooting platform. (If consent cannot be obtained, a procedure known as netting could be implemented, this procedure utilizes a net to trap the animal and the animal is dispatched on scene without the use of a gun or bow, this is significantly more expensive)

An Ariel count survey is approximately \$2,500. Some communities perform this annually, some do not perform this at all.

Our local Ordinance would need to be updated to reflect the use of firearms as authorized when permission is given for use in the Deer Management Program.

- **Capture and Sterilize:** This Deer Management Program is not widely utilized and is costly. The same initial premise as the sharpshooter method would be utilized. The Village of Sussex would have to hire a professional trapper and they would utilize a dart to tranquilize the deer, perform a sterilization procedure and release the deer. This option could also consist of relocation of the deer. I was not able to find any other communities that utilize this technique.
- **Hunting:** The Village of Sussex could promote antlerless hunting with a bow and arrow or crossbow within the Village of Sussex. The current Village of Sussex Ordinance allows for hunting with a bow and arrow or crossbow on lands, with permission of the land owner, more than 100 yards from a building as defined in Wis. Stats. §29.038 unless the person who owns the land on which the building is located allows the hunter to hunt within 100 yards of the building. Any person who hunts with a bow and arrow or crossbow under this section must discharge the arrow or bolt from the respective weapon toward the ground. This would require partnering with the DNR and communicating with the hunters the intent of the Deer Management Program. The hunters would be required to obtain permits from the DNR.
- **Education:** Provide education to the public on deer abatement options. There are numerous resources on the internet that provide abatement education. The information provides education on repellants, fencing and scare devices. This information could be captured and made available to those reporting deer nuisances.

This information was obtained from other municipalities that are currently utilizing a Deer Management Program and the DNR. The options mentioned above can be utilized alone or in conjunction with one another.

FUNDING

The Wisconsin DNR offers a grant through Urban Wildlife Damage Abatement and Control (UWDAC). This grant helps urban areas develop wildlife plans, implement specific damage abatement and/or control measures for white-tailed deer and/or Canada geese. This grant program was created to foster and encourage communities to solve overabundant wildlife concerns by awarding 50/50 reimbursement grants up to a maximum of \$5,000. The grant opens October 1, 2021 and would be awarded in 2022. The Village of Sussex is eligible to apply for this grant.

If you have any further questions, please do not hesitate to contact me.

Respectfully,

Captain Lisa M. Panas



Waukesha Sheriff Department North East Substation News

2020 End of Year Review

2021 Sussex Roster

DAY SHIFT

Deputy Kyle Steger
Deputy Jeremy Stilling
Deputy Grant Winchowky

AFTERNOON SHIFT

Deputy Steven Berg
Deputy Dylan Helmrick
Deputy Adam Rhode

LATE SHIFT

Deputy William Becker
Deputy Alyssa Cattani
Deputy Benjamin Jazdzewski

Captain Lisa Panas

Lieutenant Michael Pavlovich

Administrative Support

Brenda Tennyson
Susan Sawdey



Training & Activities





- Response to Those in Crisis
- Response to Domestic Violence
- Legal Update Training
- On Scene Interview Technique Training
- First Responder Update



2021 EVENTS ARE BACK

APRIL—DRUG TAKE BACK | AUGUST 4—NATIONAL NIGHT OUT

<https://www.villagesussex.org/services/police-346>





Village of Sussex Fire Department
N63 W24335 Main Street
Sussex, Wisconsin 53089

Kristopher Grod
Fire Chief
Fire Station - *Business*
262-246-5235
Fire Station - *FAX*
262-246-5196

MEMORANDUM

DATE: February 9, 2021

TO: Village of Sussex Public Safety and Welfare Committee

FROM: Kristopher Grod, Fire Chief

RE: Ambulance Purchase

The Village of Sussex Fire Department in continuing with equipment replacement is requesting to purchase a new Ford F550 Ambulance. The new ambulance will replace the Village's oldest current ambulance, a 2006 model with 68,455 miles and 4,732 engine hours. This 2006 ambulance was scheduled for replacement this fiscal year based on our regular replacement cycle.

Total Cost: \$283,278.00



LIFE LINE

EMERGENCY VEHICLES

AMBULANCE QUOTE

Village of Sussex
 Jerrad Ihlendfeld
 N63W24335 Main Street
 Sussex, WI 53089
 262-246-5197
 262-246-5196

Jefferson Fire & Safety, Inc.
 Rob Little
 7620 Donna Drive
 Middleton, WI 53562
 (608) 836-0068
 n/a
 rob@jeffersonfire.com

Exp. Date: 03/30/2021
Quote No: 10750-0004 Sussex Fire Department
BODY: SUPER D 167" SUPERLINER TYPE I

02/10/2021

PART NO	S	DESCRIPTION	QTY
	S	== 171" SUPERLINER TYPE I - 1.000 01/08/20 ==	1
		MASTER PARTS REVISION DATE (Start 01-12-21 to 04-01-2	1
00-00-0500	<	LIFE LINE WARRANTY Warranties Include: Lifetime Modular Body Warranty Lifetime Electrical Harness Warranty Lifetime Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 10-Year/100,000 Mile Electrical Warranty Elite System 6-Year Pro-Rated LL Paint Warranty Which is as follows: For 3 Years 100% 4th Year 50% 5th Year 25% 6th Year 10%	1
00-00-0700	<	>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer: Draft Work Order Process Date: 1st Dealer Draft Date:	1

PART NO	S	DESCRIPTION	QTY
		Final Dealer Draft Date:	
		Sign-Off Date:	
		Parts/Drafting/Paint:	
		Shop Release Date:	
		SFD:	
00-00-0800	<	Customer Contact Person (Required For Factory Use) Specify Name And Number:	1
		Jerrad Ihlenfeld Deputy Chief, Sussex Fire Department N63W24335 Main Street Sussex, WI 53089 Direct: (262)408-3768 Office: (262)246-5197 Email jihlenfeld@villagesussex.org	
00-00-2100	<	Sales Rep: Rob Little 1-608-723-9126 Jefferson Fire & Safety, Inc.	1
00-00-FL00		Fill Unit With Fuel For Delivery (Charge To Dealer Account)	1
00-00-FN00	S	< > Specify FORD Fleet Number If Available (FORD Chassis Only) Specify FIN Number: FORD GPC REBATE DEDUCTED "DEALER ASSIGNMENT"	1
		FIN# QU255 Active GOVERNMENT VILLAGE OF SUSSEX N 64 W 23760 MAIN ST SUSSEX, WI 53089	
00-00-PU00	<	Specify Previous Unit Number: (FACTORY USE ONLY) UNIT #3665	1
		BODY STYLE	1
00-02-1100	S	< > 171" x 96" SUPERLINER TYPE I PASS-THRU (F-450/550 OR DODGE) Call For Factory Approval Before Customer Quote. Call For Chassis Pricing.	1

PART NO	S	DESCRIPTION	QTY
		CHASSIS	1
10-00-0100		Chassis VIN Number: (FACTORY USE ONLY)	1
10-00-5100	S	< > 2022 Ford F-550 193" W.B. 18,000 GVWR 4 WD Cab/Chassis With Standard Ford O.E.M. 3-Year/36,000 Mile Warranty.	1
		7-1-15 Elite Gen3 F-Series Requires & Includes 3 Batteries. Standard 1 Battery under Hood with 2 in Battery Compartment With a Maximum of 2 Under the Hood	
10-00-6050		< > Liquid Spring Suspension Kit For Ford F-Series ALL WARRANTY ISSUES/CLAIMS GO TO THE INSTALLER Installed By: Al Meyer - 563-578-8650	1
10-01-3400		< **FACTORY USE ONLY** Spare Chassis Keys And Owner's Manual Present.	1
10-01-8000		> Delete Standard Wheel Covers	1
10-02-1000		O.E.M. Door Mirrors	1
10-02-3500		< O.E.M. AM-FM Radio W/Cab Speakers CD PLAYER IS NOT AVAILABLE ON THE DODGE CHASSIS AS THAT IS PLACED IN THE CENTER SEAT AND THAT IS DELETED FOR AMBULANCE.	1
10-02-5000		Low Voltage Throttle Manager	1
10-02-5700		< Hand Held Cab Spot Light 12 volt outlet included. Specify location for the outlet.	1
10-03-0000	S	< > Large Custom Floor Console (See Drawings) INSTALL CUSTOMER SUPPLIED RECESSED RADIO TRIM BEZEL	1
10-03-0035		< Add 15 Degree Wedge to Front Electrical Control Panel Screen Life Line Part #P07210-REV C	1
10-03-8200		< Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System w/"OS" Light Wire Circuit To Auto Dump From The Secondary Rear Door Switch. Includes: ON/OFF Safety Switch On Inner Primary Rear Door Panel. Whelen Red "OS" System Dumped Warning Light On Front Console. Neutral Safety Circuit (Will Not Dump In Drive Gear). (THIS FEATURE NOT ON LIQUID SPRING)	1

PART NO	S	DESCRIPTION	QTY
10-03-8900	<	3 Battery Package Standard-All Matching CCA Of The Standard Battery 2 Batteries in Battery Compartment & 1 Under Hood.	1
10-04-3500		Owner's Manual (1 Included With Unit)	1
		MODULAR BODY TYPE I	1
15-01-1600	< >	KKK Package Includes (2)-5# Fire Extinguishers Oxygen Wrench Lock on Cab to Module Door or Window, lockable from cab side	1
15-01-5000	>	Standard 72" Finished Headroom	1
15-01-9005		Cab To Module Sliding Pass-Thru Window	1
15-01-9005		Cab To Module Sliding Pass-Thru Window	1
15-02-0000		Standard Perko Body Intake And Exhaust Vents (3-STD)	1
15-02-1600	<	1 Piece Stainless Steel Wheel Well Trim Rings (Small) 18.75" radius for Ford E-Series/F-Series, Dodge, Chevy G-Series, CK and TerraStar	1
15-02-2500		Standard Cast Fuel Fill Housing	1
15-02-2605	<	Standard F-Series DEF Fill Mounted Streetside Module in Front of Wheel Well Mounted On The Streetside Module Body in Front of Wheel Well.	1
15-DL-9902	< >	Standard 3" Lowered Front Body Skirts F-Series & Dodge Includes Dual Side Entry Step	1
		MODULE DOORS AND WINDOWS	1
20-00-0100	<	2 Red Reflectors On Each Module Entry Door One Mounted At The Top And One Mounted At The Bottom.	1
20-00-0500	<	Combination Extruded/Pan Formed Module Entry Doors With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate	1
20-01-0000	<	Full Height Side Entry Door With Gas Style Hold-Open Position The Hold-Open At 90 Degrees.	1
20-01-1000		Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape	1
20-01-3000	< >	Sliding Side Entry Door Window (Dark Tint) Sliding Window With Screen And Dark Tint.	1
20-01-3500		Rear Doors With Grabber Style Hold-Opens	1
20-01-5500	< >	Fixed Rear Entry Door Windows (Dark Tint) With Dark Tint Option.	1

PART NO	S	DESCRIPTION	QTY
20-01-9000	<	Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea) Specify Deletion Location: DELETE FROM REAR DOORS KEEP SIDE DOOR HANDLE LIKE THIER LAST UNIT 3665	2
20-02-0000		Tri-Mark 030-18 Free Float Handles with Chrome Exterior And Black Pocket	1
20-02-1500		Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	1
20-02-1600	<	Secondary Door Release Latches On All Entry Doors (3) L04025 Label LH Arrow (3) L04026 Label RH Arrow	1
20-02-2500		Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500		Cage Nuts On All Door Panels	1
20-02-4000		Polished Diamond Plate Lower Module Entry Door Trim Panels	1
20-02-5500	<	Stainless Trim On Hinge Side Of Door Extrusions (Ea) Specify Location: COMPARTMENT DOORS ONLY, P1,P3,D1,D2,D3	5
20-02-6000	< >	Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD	1
20-03-0505	< >	Small Window In Side Of Body (Dark Tint) 9-3/4" x 32-3/4" Fixed Window With Dark Tint Option. Specify Side:Sliding Window With Screen And Dark Tint. Specify Side: STREETSIDE NOTE TO CUSTOMER: THERE IS NO ROOM FOR A PRIVACY PANEL AND MARKING BOARD DUE TO THE SIZE OF THE WINDOW.	1
		EXTERIOR COMPARTMENTS	1
25-00-0100	<	SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
25-00-0200	<	2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartment Door.	1
25-00-0500	<	Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted. Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening.	1

PART NO	S	DESCRIPTION	QTY
		Does Not Include Doors That May Hit Other Compartment Doors.	
25-00-0600		Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000		Magnetic Compartment Door Switches	1
25-01-1000		Polyurethane Compartment Lining-Standard Gray	1
25-01-2500	< >	Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard.	1
		The Standard Light Lengths Used Are: 18" E22140 31.5" E22141 54" E22145 72" E22149	
25-01-3300		Black Texture Coated Aluminum Exterior Compartment Vents	1
25-04-3000	< >	Delete Superliner Curbside Front Backboard Compartment Specify Alternate Backboard Compartment:	1
25-04-3500	<	Full Height Superliner Curbside Front IS/OS Compartment P1	1
25-04-5500	<	1 Fixed And 2 Adjustable IS/OS Compartment PVC Shelves (1) Adjustable In The Upper Section. (1) Adjustable In The Lower Section.	1
25-04-7000		Cabinet Liner Lined Walls In The IS/OS Compartment	1
25-04-8000	<	Superliner Curbside Front Battery Compartment P2	1
25-05-3000	< >	Superliner Curbside Rear Backboard Compartment P4 Includes Fixed Vertical Divider. No Horizontal Divider. Install The Vertical Divider From the Notch Down. Interior cabinets protrude into this compartment.	1
25-05-3500	<	Superliner Full Height Streetside Front Compartment D1 O2 COMPARTMENT O2 regulator/transducer etc... should be above the O2 tank right of the divider to eliminate getting damaged with equipment being stored left of the divider.	1

PART NO	S	DESCRIPTION	QTY
25-05-4500	<	<i>Superliner Streetside Front Single Door Intermediate Comp D2</i> The interior of this compartment will need to be vented "below" the floor level as it will have a gasoline pump and extrication tool in this compartment.	1
25-05-9000		<i>3/4 Height Single Door Streetside Rear Compartment</i>	1
25-11-8005	< >	<i>Diamond Plate Adjustable Shelf W/ Dri-Dek Matting (Ea)</i> Diamond Plate With Standard 2" Lips. Specify Compartment: (1) D2 - CENTERED (2) D3 - UPPER SECTION. These shelves need to be 4" shallower so that tools can be stored on the door.	3
25-12-1000	<	<i>Fixed .125" Vortex Covered Aluminum Vertical Divider (Ea)</i> Specify Compartment: D1 Add a vertical vortexed sprayed divider that will go from the floor to the "Fixed" Shelf above the tank. Add (3) slots in the divider to make it easier to get the straps off of the tank bracket.	1
25-12-1200	<	<i>S.V.I. Adjustable Long Board Slots (Ea)</i> Includes 2" Seat Belt Style Strap Across The Front Of The Dividers. Includes 2 Vortex Covered Back Wall Cushions. Specify Location: P4 - LEFT OF DIVIDER	3
25-12-5005	<	<i>Fixed Diamond Plate Shelf W/Dri-Dek Matting (Ea)</i> Diamond Plate With Standard 2" Lip Specify Compartment: D1 - LOW AS POSSIBLE ABOVE O2 TANK ACCESS AREA	1
25-12-9000	<	<i>Black Dri-Dek On Compartment Floor (Each)</i> Specify Compartment: P1, P4, D1, D2, D3	5
25-13-5600	<	<i>2" Seat Belt Style Compartment Equipment Strap (Ea)</i> Specify Compartment Location: P4 WALL #3 FOR STAIR CHAIR.	1
		REAR STEP AND BUMPER ASSEMBLY	1
30-01-1500	< >	<i>STD Rear Bumper W/Rubber Dock-Tow Hook Options</i> Standard Rear Bumper With Rubber Dock Bumper And Tow Hook	1

PART NO	S	DESCRIPTION	QTY
		Options.	
		Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height.	
		Tow Hooks Are Mounted Under The Bumper.	
		Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	
30-01-3500	>	Full Width Diamond Plate Rear Kick Plate	1
		IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD	1
35-01-0000	<	One Piece Body Side Panels With Lower Impact Rails Includes Lower Impact Rails Only.	1
35-01-3000	<	Diamond Plate Running Boards With Grip Strut Welded On Grip Strut	1
35-01-7100	< >	Whelen 2G 4" Round L3 Intensity Grommet Mounted Running Board Lights (Pr) Part# 20C0CDCR Lights Are Mounted With 2GROMMET Grommets Includes Deutsche Connectors NOTE: Not Available On Chevy G-Series	1
35-01-7500	>	Rear Mud Flaps With Metal Stabilizers	1
35-01-9000		Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-0000	< >	Drip Rail Over Door (Ea.) Specify Compartment: P1, P3, D2, D3, REAR DOORS	5
35-02-0900	<	Frame Rail Cover A Full Width Diamond Plate Frame Cover to Be Installed Between the Cab and the Module.	1
35-02-2500	<	36" High Front Stone Guards With Sealed Top Edge.	1
35-02-4500	<	Rear Corner Stone Guards (Kick Plate Height) With Sealed Top Edge.	1
35-02-5500		Polished Stainless Steel Plate Under Fuel Fill Area	1
35-02-6015		Polished Stainless Steel Plate Under a DEF Fill Area	1
		ELECTRICAL SYSTEM	1
40-00-0550	< >	Elite G3 Touch Screen Electrical System Includes: (1) Front Switch Panel, (1) Rear Switch Panel.	1

PART NO	S	DESCRIPTION	QTY
		(2) Carling Switches (1) Center Strip Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Standard Location Is The R.F.S. Cabinet.	
		(1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator.	
		(3) Power Point Studs - They Will Include A Full-time Hot, Battery On (Ignition Hot), & Ground. These Are Rated 20 AMPS Or Less. Dealer To Specify Location: Aux Electrical	
		(1) Back-Up Camera White (ASA VCMS20) (This Camera Will Always Be Displayed Thru The Elite Front Touch Screen And The Camera Head Will Be White Unless Otherwise Specified) Specify (VCMS20B) For Black	
		Dome Lights On Low With Entry Door. (On High Is Not An Option)	
		The R.F.S. Switch May Turn On the Dome Lights On High or the Center Strip Lights. Specify: Center Strip Lights	
		Inverter Will Come On With Ignition If One Is Specified, Along With Button Provided On Switch Panel.	
40-00-6020	< >	Additional Camera Head (Elite Touch Screen System Only) Specify Camera Head Color: WHITE VCMS20-White VCMS20B-Black Specify Location(s): REAR CUSHION FACING FORWARD	1
40-01-0301	< >	Add Second Rear Touch Screen (Elite System) Specify Mounting Location:	1
40-01-0410	< >	Additional Carling Switch (ea) Specify Location(s): REAR PRIMARY DOOR Specify Functions: REAR SCENE LIGHT DISABLE	1
40-01-2000	<	Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm.	1
40-01-5000	< >	Super Auto Eject Shoreline - 20 Amp Specify Location: ABOVE D2 Specify Inlet Cover Color: RED (Red/White/Yellow/Gray) SPECIAL NOTE ABOUT 115 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps.	1

PART NO	S	DESCRIPTION	QTY
		This Unit As Ordered Has A Total 115 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment.	
40-01-6900	<	**FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present.	1
40-01-7500	<	Shoreline On Indicator Light (Exterior) Mounted Above Or Near The Shoreline Inlet. (Red LED). Whelen "OS" Series Non-Flashing Is The Std. Light	1
40-02-3500	< >	Vanner 20-1050 CUL 1000W Inverter With Display Includes 55 Amp Battery Charger Specify Remote Charger Display Location: Specify Remote Inverter Display Location: Installing Displays on any part of the exterior of the unit, Voids all Warranty issues from Vanner & Life Line.	1
40-03-0000	<	Action Area Dual 2.1 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit. Part #E26088	1
40-03-2000	<	R.F.S. Cabinet Dual 2.1 amp USB Charger And 20 amp 12v Outlet Mounted In The UPPER Section On Wall #1. Full Time Hot Circuit.	1
40-03-5500	<	Add 12 Volt Power Outlet (Ea) Full Time Hot Circuit. Specify Location: CURBSIDE HEAD END WORKSTATION NEXT TO DRAWER.	1
40-03-6000		Action Area 125 Volt Standard Style Hospital Grade Outlet	1
40-03-7000	<	R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet Mounted In The UPPER Section On Wall #1.	1
40-03-8500	<	Add 125 Volt Standard Style Hospital Grade Outlet (Ea) Specify Location: (1) CURBSIDE HEAD END WORKSTATION NEXT TO DRAWER. (1) CAB BEHIND DRIVERS SEAT (1) LOWER R.F.S. ON WALL #1 (1) ABOVE WALK THRU COUNTER TOP. CURBSIDE (1) ACTION WALL IATS - SPREAD OUT FROM STANDARD OUTLET.	5

PART NO	S	DESCRIPTION	QTY
		All Cab Floor Requested Installs will Include Weatherproof Cover, Unless Otherwise Specified.	
40-04-3800	< >	Smithworks 12 Volt Floor Mount IV Fluid Warmer Tray (Ea) Specify Cabinet Location: PFUND DRAWER, CURBSIDE FOOT END WORKSTATION.	1
		Circuit Is Wired 12 Volt Full Time Hot. REQUIRES BATTERY CHARGER. MANUFACTURER WARRANTY ONLY APPLIES.	
40-04-4000	>	Power Door Locks For Side Entry & Rear Entry Doors	1
40-04-4500	< >	Additional Power Door Lock (Ea) Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Location: D1, D2,D3,P1,P4	5
40-04-6000	>	Hidden Switch In Rear License Plate Housing (Unlock Only)	1
40-05-1600	<	12 Volt Power And Ground Circuit For Flashlight (Ea) Specify Location: 5amp circuit ea.	2
40-05-3100	<	Streamlight E-Spot LED LiteBox (ea) Includes Direct Wire Rack ILOS - USE Streamlight Fire Vulcan LED box lights Specify Location: TBD	2
		INTERIOR LIGHTING	1
45-01-0000		Oxygen Compartment Light	1
45-01-0500	<	Side Entry Door Stepwell 3" Round LED Light Whelen 3" Round Super-LED Surface Mounted	1
45-01-1500	<	8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome With White Trim 4-Streetside 4-Curbside TecNiq# E08-LW00-1	1
45-01-3000		12" Grote 60591 LED Action Area Light	1

PART NO	S	DESCRIPTION	QTY
45-01-5510	< >	6 - 3" Round Super-LED Surface Mounted Lights Down Center Strip Whelen Part #3SC0CDCR With #3FLANGEC Chrome Flange With Gasket.	1
45-02-3000	<	Brake Light Mounted On The Rear Head Cushion (Ea) Mount In The Center Section Of The Rear Head Cushion. ("OS" Series Red LED).	2
45-02-4000	<	Rear Turn Lights Mounted On The Rear Head Cushion (Pr) Mounted On Each Side Of The Rear Head Cushion. ("OS" Series Amber LED).	1
		EXTERIOR LIGHTING	1
50-01-0001	<	Whelen M6 Series "LED" Stop/Tail Lights (Pr) #M6BTT Mounted Above The Rear Kick Plate.	1
50-01-6001	<	Whelen M6 Series "LED" Amber Turn Lights (Pr) #M6T Mounted Above The Rear M6 Series LED Stop/Tail Lights. They shall be wired to flash sequentially in the direction of the arrow	1
50-02-9000	>	C.P.I. License Plate Housing	1
50-02-9501	<	Whelen M6 Series LED Back-Up Lights (Pr) #M6BUW Mounted Above The Rear Turn Lights Unless Otherwise Specified.	1
50-03-4902		Two Reverse Activated Whelen M7ZC LED Rear Load Lights	1
50-03-8401		Whelen M9LZC Side Scene Lights (Two Each Side)	1
50-03-9000		Right Side Scene Lights On With Open Side Entry Door	1
50-04-2000	<	Rear Side Scene Lights On In Reverse IATS REAR WINDOW LEVEL LIGHTS	1
50-04-5000	<	Wire Rear Emergency Light Flashers To Brake Circuit IATS Specify Light Location:	1
50-04-5510	<	3" Round Super-LED Surface Mounted Compartment Door Flashing Light (Ea) Specify Location(s): SIDE ENTRY DOOR (1) UPPER CORNER (1) LOWER CORNER Part # 3SA00FAR Specify LED & Lens Color: AMBER/AMBER ALTERNATE	2
50-04-7500	< >	Federal Commander COM1 "LED" ICC Marker Lights COM1MC-A=Amber COM1MC-R=Red	1

PART NO	S	DESCRIPTION	QTY
50-04-8000	<	Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail Unless Otherwise Specified. Mid Sections To Be Wired Thru The Brake Light Circuit.	1
50-04-8100	<	Innovative Lighting Slimline Front DOT Light Mounted Above The Drip Rail Unless Otherwise Specified.	1
	<	***RADIO PROVISIONS AND AIR HORNS*** Pricing does not include installation of customer supplied radio equipment unless otherwise stated. All customer supplied radio equipment must be received at Life Line prior to construction start date.	1
55-01-3040	S <	(2) 21.5" Grover Air Horns Mounted Thru Bumper Valance F-Series w/Compressor Includes: LL# F15011 Standard Duty Compressor Specify Compartment For Compressor Location: NOTE: There Is An Additional Charge If The Compressor Is Not Mounted In A Compartment. Mesh Cover Over Pump One Standard Frame Mounted Air Tank (2) LL# F15005 21.5" Grover Stuttertone Air Horns Specify Floor Button, Push Button, or Rocker Switch Button/Switch Location:	1
55-01-8500	<	KE-794 Antenna Base With Coax Specify Termination Location: (1) Front Module Roof To The Action Area Switch Panel Coil, Zip Tie & Tag Include rain caps on all module roof antenna bases	1
55-02-1500	< >	KE-794 Module Roof Antenna Base/Coax (Ea) Specify Termination Location: (1) Middle Front Roof to Front Console LABEL LOCATIONS OF BELOW AND MARK AS SPARES (1) Middle Roof to Aux Electrical (1) Middle Rear Roof to Aux Electrical (1) Rear Roof to Aux Electrical Line all the antenna bases up in the center of the roof, evenly space from front to back. These two will be the front two. Coil, Zip Tie & Tag	4

PART NO	S	DESCRIPTION	QTY
		Include rain caps on all module roof antenna bases	
55-02-1710	<	Install Customer Supplied Cab Roof Antenna(Ea) Specify Termination Location: CRADLEPOINT ROUTER ANTENNA - OVER D1 ON CORNER OF ROOF TO AUX ELECTRICAL CABINET	1
		Coil, Zip Tie & Tag	
55-02-5500	< >	Radio Pre-Wire Power And Ground 20 AMP Or Less Circuit (Ea) Full Time Power And Ground And Battery On (Ignition On) Circuits. Butt Splice Termination Points.	2
		Specify Termination Location: (1) To the Front Console. (1) To the Action Wall Switch Panel.	
		Coil, Zip Tie & Tag	
		14 Gauge Wire Will Be Used in this Option. If Larger Gauge Wire is Required You Must Use Option 55-02-5700 or 55-02-5800.	
	<	***SIRENS AND EMERGENCY LIGHTING*** ALL WARNING LIGHTS TO HAVE CLEAR LENS	1
		ALL WARNING LIGHTS ON IN PRIMARY AND SECONDARY, FORWARD FACING CLEARS WILL SHUT DOWN IN SECONDARY MODE.	
		EXCEPTION TO THIS IS REAR AMBER 60-03-3003	
60-01-2000	< >	Federal EQ2B Electronic Siren System ILOS PENDING AVAILABILITY ON SOME CHASSIS MODELS. Includes EQ2B-FM Flush Mount Control Head CANNOT Use The Whelen Howler With The EQ2B Siren As Federal And Whelen Are Not Compatible.	1
60-01-4500	< >	Federal Signal ES100C Behind Bumper Siren Speakers (F-Series) Mounted Behind Bumper Wings "F" guard Cover Included	1
60-01-9001	< >	4 Whelen M9 Series "LED" Side Module Warning Lights Part # M9RC Mount The Side Lights Inline.	1

PART NO	S	DESCRIPTION	QTY
		Model # ILOS: M9RC	
		Specify KKK Or Comet Flash Pattern: MODUFLASH	
60-02-5000		Delete The 2 Standard Front Module Warning Lights (Credit)	1
60-02-8100		Delete The Standard Center Front Module Warning Light (Credit)	1
60-02-9501	< >	2 Whelen M9 Series "LED" Rear Module Warning Lights Part #M9RC	1
		Model # ILOS: M9RC	
		Specify KKK Or Comet Flash Pattern: MODUFLASH	
60-03-3006	< >	1 Whelen M7 Series "LED" Center Rear Module Warning Light Part #M7AC	1
		Model # ILOS: M7AC	
		Specify KKK Or Comet Flash Pattern: MODUFLASH	
		NOTE: THIS LIGHT WILL ONLY ACTIVATE IN SECONDARY MODE	
60-04-4610	< >	Emergency Lights On In Reverse Specify which Button on the touch screen or flasher circuit is to be activated.	1
60-04-5295	< >	2 Whelen M2 Series "LED" Grille Lights (Type I) Part #M2R - GRILLE UPPER BAR	1
		Model # ILOS:	
		Specify KKK Or Comet Flash Pattern: X PATTERN FLASH WITH LOWER WHITE M2's	
60-05-0494	< >	2 Whelen M7 Series "LED" Intersection Lights (Type I) Part #M7RC	1
		Model # ILOS: M7RC	
		Specify KKK Or Comet Flash Pattern: MODUFLASH	
60-06-0655	<	Sound Off Wig-Wag Headlight Flasher LL#28033 Sound Off # ETHFSS-SP-ISO F-Series Wig-Wag Module Disables OEM DTRL headlights.	1

PART NO	S	DESCRIPTION	QTY
60-06-6001	< >	2 Whelen M7 Series "LED" Rear Wheel Well Lights Specify Whelen Light Number: M7RC Specify KKK Or Comet Flash Pattern: MODUFLASH	1
60-07-1530	< >	7 Whelen M9 Series "LED" Front Module Warning Lights Clear Lens Specify Whelen Part #: (5) M9RC (2) M9C LAYOUT R/R/W/R/W/R/R Steady Flash Unless Otherwise Specified Specify KKK Or Comet Flash Pattern: MODUFLASH	1
60-08-8700	<	Whelen TAL85 47" "LED" Rear Traffic Advisor With 45' Interconnect Cable With 8 Amber "LED" Lamps. Specify Remote Location:	1
60-09-0495	<	Tomar Traffic Pre-Emption Strobe with Power Supply (1) RECT-37S Clear Light (1) E23223 Chrome Bezel (1) 401-1228-PREHI Emitter Power Supply	1
60-09-4605	<	Whelen M2 Red Or Amber Or Blue Or Clear "LED" Light (Ea) Specify Color: M2C (WHITE) Specify Location: FRONT GRILLE LOWER BAR X PATTERN FLASH	2
60-10-0160	<	Rear Window Level Whelen M9 Red Or Amber Or Blue Or Clear "LED" Lights (2) Specify Color: M9RC	1
60-11-4400	<	Whelen ULF44 LED Flasher 4-Outlet 60 Watts (Ea) BRAKE OVERRIDE FLASHER	1
60-12-1010	< >	Federal Signal LED Crash Rail Light Red/White (Ea) Model #MPS620U-RW, 12 LED, Split Color (Red/White) Both Colors To Flash unless otherwise Specified. Specify Flash Option:	6

PART NO	S	DESCRIPTION	QTY
		PATIENT COMPARTMENT	1
65-00-0100		Standard Solid Surface Construction Interior Cabinets	1
65-00-9900	<	SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
65-01-2000		Standard Smooth Headliner	1
65-01-3500	<	1/4" Gray Tinted Polycarbonate Sliding Doors On Cabinets Includes Brushed Finish Interior Trim.	1
65-02-2240	< >	"Dealer/Customer Supplied Package" Stryker Power or Performance Load System WIRE FOR POWER LOAD	1
		Will Be Center Mount Unless Otherwise Specified Includes: Floor Structure - Tapping Blocks Includes Life Line Supplied Power & Performance Load Floor Plate Kit #6390-700-001 - (Needs to Include Track Cover) Wire with 10 Gauge Power and Ground with a 15 Amp Circuit Breaker Powered by Shoreline or Battery on Power. The Power And Ground Is Run To Inside The Track, Or To Trolley If Supplied. Complete 6390 Power or 6392 Performance Load System Installed Be sure to leave main power switch in the off position. Will Be Center Mount Unless Otherwise Specified Does NOT include cot. Includes Std. Life Line Push Rail Floor Mount Stryker Part# 6360-030-11 LL#F09042 Does Not Include Push Rail	
65-02-8500	<	L.R.O. Cabinet With Top Hinged Polycarbonate Door LEFT HINGED ILOS	1
65-03-3500	<	Cabinet Above The Side Seat With Speed Load Door To be 8.25"H With Positive Lock Feature.	2
65-03-7500	<	L.F.O. Cabinet With Speed Load Door With Positive Lock Feature. To include [1] PVC shelf.	1
65-04-2300	<	Delete Standard Left Rear Base Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-04-6600		Delete Standard Telemetry Area Cabinet	1
65-04-8100	<	Delete Standard Lower Telemetry Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1

PART NO	S	DESCRIPTION	QTY
65-05-0000	<	Slanted Action Area Switch Panel Includes Sliding Polycarbonate Doors Forward Of The Switch Panel. NOTE: Install a Grommet Under This Cabinet Back Near Wall For Radio Pre-Wire And Antenna to Route Out Of Cabinet At The Bottom.	1
65-05-0100	<	Pfund Style Action Area Fold-Down Locking Drug FOOT END OF THE CURBSIDE WORKSTATION - IV WARMER WILL BE INSTALLED IN THIS DRAWER To Include Gas Hold-Open On Each Side. Mc Master #6521K31 (Requires 2). Mc Master Ends #9416K86 (Requires 4). Austin #L8800SS90 Locking Paddle Latch. Does Not Include Lift-Out Drug Tray Unless Otherwise Ordered.	1
65-05-0500	< >	Lower Action Area Cabinet With Sliding Polycarbonate Door BOTTOM HINGED DOOR ILOS FRAMED POLY	1
65-05-2500	< >	Action Area Tip-Out Trash Cabinet LL# F18152	1
65-05-4600	<	SS Squad Bench w/Contoured Ergo Backrest & 4-Point Seat Belt ILOS CPR Seat Includes 2 Sets of Black IMMI 4-Point Seat Belts. Includes 3 Cot Restraints & Retractors. TWO PIECE LID - NO DIVIDER FOOT END UNDER BENCH DROPPED FOR DEEPER STORAGE	1
65-05-8005	< >	Rear Facing Valor Sewn Attendant Seat w/Child Safety Seat On Pedestal/Swivel Valor Sewn Seat with Child Safety Seat & Life Line Logo To Match Cushion Vinyl unless otherwise specified Includes 4-Point Belt Question: Will there be an O2 Bottle Attached to the Head of the Cot? YES Requires Lower Streetside Aisle Cabinet And Bulkhead Wall Cabinet For Overflow Electrical Equipment.	1
65-05-9795		Delete Contoured Ergo Backrest/IMMI 4 Point Seatbelt (Ea)	1
65-06-2000	< >	Rear Facing Electrical Cabinet And Door Vent Accordingly	1

PART NO	S	DESCRIPTION	QTY
65-07-0000	< >	Right Front Upper ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Doors With Vented Polycarbonate Inserts. USE DUAL LATCHES	1
65-07-3000	< >	Right Front Lower ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Door With Vented Polycarbonate Inserts. USE DUAL LATCHES	1
65-07-5300	<	Top R.F.S. Cabinet W/Top Hinged Solid Door ILOS Heat/AC Includes Gas Style Hold-Opens. M1 Latch on Door. Drill a 2" hole and grommet for power cords to be able to be ran down to the upper RFS cabinet and plug in. Cut hole in corner of Wall #1 and Wall #2.	1
65-07-5410	<	Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount) Includes Gas Style Hold-Opens.	1
65-07-9000	< >	Add Cabinet In The Lower Walk-Thru Area With Solid Surface Counter Top Area. INCLUDES ONE ADJUSTABLE SHELF TWO DOORS (SOLID/POLY INSERT) AND DUAL LATCHES	1
65-08-0500	<	CS Squad Bench w/Contoured Ergo Backrests w/1 Piece Lid & No Divider Includes 1 Set Of Black IMMI 4-Point Seat Belts.	1
65-08-3600	< >	Superliner Head Of Squad Bench Work Cabinet INLCUDES: CORIAN COUNTERTOP - NO LIP 2 SLIDE OUT DRAWERS TOWARDS SQUADBENCH 1 SLIDE OUT SHARPS AND WASTE AISLE FACING 1 125V OUTLET 1 12V OUTLET SIDE GRAB RAIL	1
65-08-6500	< >	Cabinet At The Foot End Of The Squad Bench DOES INCLUDE CORIAN COUNTER TOP - WITH STANDARD LIP ALSO INCLUDES	1

PART NO	S	DESCRIPTION	QTY
		2 DRAWERS FACING SQUAD BENCH	
		1 PFUND DRAWER	
		UPPER SMALL CABINET	
65-08-8500		Squad Bench Headrest Cushion	1
65-09-0500	< >	One Section Bandage Cabinet With Speed Load Door With Positive Lock Feature. Specify Cabinet Depth: MAX DEPTH AND HEIGHT	1
65-09-6000	<	Recessed Glove Box Storage In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Polycarbonate Door. Specify Location: ABOVE REAR DOOR CUSHION Specify Number Of Box Cut-Outs: 2 SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	2
65-09-6100	<	Recessed Glove (Three) Box Storage In Side Door Cushion Area Recessed Storage Box With Top Hinged Polycarbonate Door. SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	1
65-09-8500		100" Long Formed Streetside Ceiling Grab Rail	1
65-09-9505		70" Long Formed Curbside Ceiling Grab Rail	1
65-10-0000	<	Custom Length Formed Curbside Ceiling Grab Rail Specify Custom Length: 20"	1
65-10-0500		Formed "L" Door Assist Rails Mounted On The Hinge Side	1
65-10-2000	< >	Formed Assist Rail At The Head End Of The Squad Bench 12" Rail	1
65-10-2505	<	Formed Assist Rail Moved To Right Rear Wall 12" Assist Rail Is Std. Size.	1
65-10-5000	<	Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position.	1
65-10-9000		Southco M1 Stainless Cabinet Latches	1
65-11-3000	<	Cabinet Drawer (Ea) Specify Cabinet Location: (1) ACTION AREA FACING STREETSIDE SQUADBENCH. (2) HEAD END WORKSATION CURBSIDE FACING SQUADBENCH. (2) FOOT END CURBSIDE WORKSTATION FACING SQUADBENCH.	5

PART NO	S	DESCRIPTION	QTY
		ALL TO INCLUDE DIVIDER STRIPS AND 3 POLY DIVIDERS PER DRAWER	
		Install Catch to Hold Drawer in the Open Position	
65-11-3805	<	Adjustable Drawer Divider (Ea) Adjustable/Removable Dividers with Binding Strip Specify Drawer Location: (3) DIVIDERS PER DRAWER	25
65-12-2600		Intellitec Clock/Time Manager Mounted In The Action Area	1
65-13-1600	< >	Slide Out Sharps And Waste BioWaste Drawer LL# F18152 Trash Specify Cabinet Location:	2
		(1) FOOT END OF STREETSIDE BENCH (1) HEAD END OF CURBSIDE HEAD END WORKSTATION	
65-13-4070	S <	NCE (Physio-Control) LifePak Monitor Bracket Model #: H7000 Specify Monitor Type: LIFEPAK 15 Specify Mounting Location: COUNTER TOP AT HEAD END CURBSIDE WORKSTATION.	1
65-15-0006	>	Interior Laminate: White Nebula 4621-60	1
65-17-0001		Seam Sealed Cushions Vinyl: Montana Dark Graphite MON-7096 (Dark Gray)	1
65-17-0502		EVS Seamless/Medi-Vac Vinyl Color: Gunmetal MV102 (Medium Gray)	1
65-17-0604	>	Valor Sewn Vinyl Color: Gunmetal (Medium Gray)	1
65-18-0002		Welting Between Cabinets: Light Gray	1
65-19-0011	< >	Counter Tops (Main): Platinum Standard with 1" Lip	1
65-20-0006	>	Counter Tops (Accent Stripe): Silver Gray	1
65-21-0009	< >	Lonseal Floor Selection: Loncoin II Flecks #150 Onyx Specify: Rolled Up 4" On Both Sides Unless Otherwise Specified.	1
65-CS-0950	<	Additional Counter Top Colors To Match As Specified CURBSIDE (1) HEAD END - NO LIP (1) FOOT END - WITH STANDARD LIP	2
65-CS-1000	<	Add Angled Cabinet For The 2nd Rear Switch Panel Mounted At The Head End Of The Squad Bench Below The Bandage	1

PART NO	S	DESCRIPTION	QTY
		Cabinet. (Requires 8" Deep Bandage Cabinet) NOTE TO ENGINEERING;Make as shallow as possible.	
65-CS-3000	<	Total Available Seating Positions In this Unit Including Cab, Module And Cot	7
		PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS	1
70-01-0000		Static Module Fresh Air Intake Vent	1
70-01-1010	<	Turbo 4000 12 Volt Powered 4" Exhaust Fan ILOS (1)E09226 Atwood 4" Fan (1) M040666 4" Vent Hose (2) LL Aluminum Manifolds (1) Additional F06001 Perko Cowl Vent Unless Otherwise Specified Includes (2) Interior Perko Vents	1
70-01-2300	< >	Ducted ProAir Center Mounted Heat/AC Location ILOS Includes Center Evaporator/Heater Core Location. Includes #65-07-5300 Top Hinged Top R.F.S. Cabinet. Evaporator Model #311-940	1
70-01-2400	<	Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.	1
70-01-4500	<	ProAir Undermount Auxiliary 12 Volt A/C Condenser (Type I Modular Body) Specify Mounting Location: Condenser Model #106 Install Rubber Debris Flaps On The Forward And Rear Edges.	1
70-01-6520	< >	Ultimate Additional Insulation Pkg with Yellow Certifoam Body/Floor/Doors (R-6) INCLUDES YELLOW CERTIFOAM R-6, LAVA TWIST ACCOUSTIC MATERIAL TO ALL 4 SIDES OF SIDE ENTRY STEPWELL, THERMAL HEAT/SOUND INSULATION BLANKET TO THE UNDERSIDE OF ALUMINUM FLOOR, NON-PERMEABLE SOUND DAMPENING BLANKET IATS VAPOR BARRIER. INCLUDES YELLOW CERTIFOAM R-6 IN THE FLOOR STRUCTURE TUBES AND ANY OTHER TUBES THAT COULD POSSIBLY BE FILLED WITH PLANK FOAM.	1
70-01-6610	>	Automotive Grade Underbody Undercoating W/2nd Coat On Module Floor	1
70-02-2000	S <	Hoseline E-Drawer Specify Location: INCLUDE SOLID BOTTOM HINGED DOOR IF POSSIBLE IN FRONT OF DRAWER IF compX eLOCK LOCK CAN'T BE INSTALLED ON THE DRAWER. IF DOOR IS USED IT SHOULD STOP AT	1

PART NO	S	DESCRIPTION	QTY
		90 DEGREES WHEN OPENED.	
		Specify Location: CENTER OF ALS (R.F.S.) CABINET	
		OXYGEN SYSTEM	1
75-01-0000		Ohio Style Action Area Oxygen Outlet	1
75-01-2000		Ohio Style Ceiling Mounted Oxygen Outlet	1
75-01-4000		Ohio Style Right Wall Mounted Oxygen Outlet	1
75-01-8000	< >	Interior Oxygen Access/Viewing Door ACCESS DOOR WILL BE POLYCARBONATE FRAMED DOOR UNLESS OTHERWISE SPECIFIED.	1
75-01-8600		"M" Oxygen Tank Bracket In Streetside Front Compartment	1
75-02-3710	>	Drill Mounting Plate For Both "H" or "M" Tank For O2 Bracket	1
75-03-3010	< >	ZICO Model QR-D-2 Quick Release Strapless Portable Oxygen Tank Bracket Specify Location: ON RFS WALL IN PASS THRU AREA	2
		SUCTION SYSTEM	1
80-01-0000		12 Volt Gast Suction Pump Controlled By Switch on Switch Panel	1
80-01-1500	<	1 Ohio Style Action Area Suction Outlet Includes Disconnect For Outlet Hose Barb Must Fit The Suction Hose	1
80-01-7500	<	SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable Trap Set.	1
80-01-8500	S < >	Recessed Suction Unit Below Action Area ON SLIDE TRAY WITH POLY FRONT NOTCHED	1
		PAINT	1
85-00-0100	< >	Standard AkzoNobel Paint Process Includes 6 Year Pro-Rated LL Paint Warranty.	1
85-00-0215		Drawings to Show Paint & Graphics Required (Per Hour)	1
85-01-0500	< >	Repaint Chassis ILOS O.E.M. White (Type I or Highliner) Specify Color:	1
		MATCH DARK SILVER METALLIC - FLNA90271 RED - FLNA3225	
		SEND OUT SAMPLES FOR APPROVAL	

PART NO	S	DESCRIPTION	QTY
		Touch-Up Paint Is Included For Colored Chassis.	
85-01-1500	<	Paint Module Body Other Color ILOS O.E.M. White Specify Color:	1
		MATCH DARK SILVER METALLIC - FLNA90271 RED - FLNA3225	
		SEND OUT SAMPLES FOR APPROVAL	
		Touch-Up Paint Is Included For Colored Module Body.	
85-02-8500	<	Custom Two-Tone Paint Specify Location And Color: SILVER OVER RED	1
		MATCH DARK SILVER METALLIC - FLNA90271 RED - FLNA3225	
		CHASSIS ROOF, HOOD, A & B POST TO BE SILVER BODY TO BE SILVER DOWN TO JUST UNDER THE WARNING LIGHTS	
85-02-9500		Do Not Paint The Nader Pins/Install After Paint Process	1
85-03-2500	>	Delete Standard Edge Pinstripe	1
85-03-3500	<	1" Scotchlite Striping (Per Foot) Specify Color And Location: GOLD REFLECTIVE	80
		ABOVE AND BELOW THE BLACK STRIP	
		PAINT BREAK FROM GREY TO RED	
85-03-5500	S <	7" Scotchlite Striping (Per Foot) Specify Color And Location: BLACK REFLECTIVE	54
		RIBBON DESIGN - SEE PICTURE OF THEIR FIRE TRUCK TO MATCH. RIBBON TO BE ON BODY IN THE P1 AND D1 AREA	
85-03-7000	<	Painted Wheels Specify Color: RED BODY COLOR	1
85-04-0100	< >	6" Wide Rear Wall Chevron (Two Color-Full Wall & Doors) Specify Tape Color #1: #983 Fluorescent Yellow Green. Specify Tape Color #2: #983 Solid Red.	1
85-04-1200	< >	Diamond Grade Chevron Upgrade Specify Tape Color #1: #983 Fluorescent Yellow Green.	1


PART NO	S	DESCRIPTION	QTY
		Specify Tape Color #2: #983 Solid Red.	
		EMBLEMS AND DECALS	1
90-01-0600	S <	Install Roof "SOL" Decal Only (Delete AMBULANCE Decals Only) Delete Only The "AMBULANCE" Decals.	1
		INSTALL SOL'S	
		ALL TO MATCH CURRENT FONT AND BE GOLD OVER BLACK. One rear "Ambulance" and the (2) 12" SOL's will be White over Black due to rear Chevron. Install centered between the rear window level lights and the clear back-up lights. Install the 6" sides "Ambulance" and the side 18" SOL's goes on the P1 and D1 doors as shown in the pictures.	
90-01-1100	<	"NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1
90-01-1200		No Other Decals or Lettering Included Unless Specified Below	1
90-01-5100	<	Install 3/4" White Reflective Tape Around Side And Rear Entry Doors USE RED ILOS	1
		KKK-F Certification Requirement.	
90-01-7000	< >	6" Scotchlite Reflective Lettering (Ea) Specify Color And Font. BLACK OVER GOLD Specify Lettering Location:	150
		SIDES	
		"SUSSEX FIRE" - UPPER "AMBULANCE" - ABOVE STRIPE	
		"2957" - 4" - CAB DOOR	
		REAR - BELOW WINDOWS	
		"SUSSEX FIRE" - ABOVE DOOR HANDLES "AMBULANCE" - BLEOW DOOR HANDLES	
		"2957" - 4" UPPER LEFT ON REAR WALL	

PART NO	S	DESCRIPTION	QTY
95-DC-LL01	S <	IBR900 Cradlepoint Router Installed Specify Custom Option: Model #IBR900-1200M	1
95-DC-LL02	S <	Cradlepoint Antenna Specify Custom Option: MobileMark LTM 5-in-1 Thru Roof Antenna for 3G/4G/LTE, GPS, WiFi - Black	1
95-DC-LL03	S <	Stryker Power Load System Specify Custom Option:	1
95-DC-LL04	S <	Stryker Power Pro Cot Specify Custom Option:	1
95-DC-LL05	S <	CompX eLock Specify Custom Option: INSTALL ON HOSELINE DRAWER OR DOOR IN FRONT OF DRAWER WS-PRKP-CAB Wi-Fi, cabinet eLock kit w/access control; HID Prox/alpha-numeric keypad INCLUDES SOFTWARE LOCKVIEW-5PRO - LockView Software v5 for use with 150, 200 & 300 Series eLock (Includes (2) licenses & USB cable)	1
95-DC-LL06	S <	Knox Key Secure 5 Specify Custom Option: (1) KNOX KEY SECURE 5 (KSM-200K1) DOES NOT INCLUDE SOFTWARE	1
95-DC-LL07	S <	Customer Supplied Door Decals Specify Custom Option: INSTALL CUSTOMER SUPPLIED DOOR DECAL	4

PART NO	S	DESCRIPTION	QTY
		AND MABAS EMBLEM	
95-DL-0100	S <	Delivery Specify Custom Option:	1
		END OF QUOTE/PRODUCTION ORDER	1
95-SP-0100	<	1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0200	<	1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0600		Change After Sign-Off (Published Price + 50%)	1
95-SP-0700		Change After Production Start (Published Price + 75%)	1
95-SP-0800		Change After Production Completion (Published Price + 100%)	1
95-SP-0850	<	Life Line Indemnification Statement The purchaser agrees to defend, indemnify and hold Life Line harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for.	1
	<	***SIGNATURE-LIFE LINE EMERGENCY VEHICLES*** This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles. THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS. Date Of Order: SPECIFY Franchised Distributor: SPECIFY Quote Number: SPECIFY Ordered By: _____	1
		Total	283,278.00



Cost/Benefit of Sending a Fire Truck on EMS Calls



Why Does a Fire Truck and an Ambulance Show Up For a Medical Call?

- When a 911 call comes in, dispatchers often are not given precise or complete information.
- This is understandable as the person calling may be an immediate family member or bystander in shock from the emergency they are witnessing.
- As such, units are dispatched on a worst-case scenario.
- To ensure the highest level of care, Sussex Fire Department sends a fire engine (staffed with a minimum of two personnel) based on call priority.



Call Priority

- Alpha – Non-emergent, non serious or non life threatening call - requires no fire apparatus response.
- Bravo –Injuries in need of treatment – depending on what the ambulance crew finds, may request fire apparatus response.
- Charlie – Urgent conditions, in need of treatment – fire apparatus response required.
- Delta – Life threatening other than cardiac or respiratory arrest – fire apparatus response required.
- Echo – Life threatening, cardiac or respiratory arrest – fire apparatus response required.

10 CHEST PAIN (NON-TRAUMATIC)

10

KEY QUESTIONS

1. Is s/he **completely alert** (responding appropriately)?
2. Is s/he **breathing normally**?
 - a. (**No**) Does s/he have **difficulty** speaking (crying) **between** breaths?
3. Is s/he **changing color**?
 - a. (**Yes**) **Describe** the color change.
4. Is s/he **clammy** (cold sweats)?
5. Has s/he ever had a **heart attack** or **angina** (heart pains)?
6. Did s/he take any **drugs** or **medications** in the **past 12 hours**?

Cocaine (or derivative)
Medications

POST-DISPATCH INSTRUCTIONS

- a. I'm sending the **paramedics** (ambulance) to help you now. **Stay on the line** and I'll tell you **exactly** what to do next.
- b. (**≥ 1 + D-1, 2, 3**) If there is a **defibrillator** (AED) available, **send** someone to get it **now** in case we need it later.
- c. (**Patient medication requested and Alert**) Remind her/him to do what her/his **doctor has instructed** for these situations.

- * **Stay on the line with caller** if her/his condition seems **unstable** or is **worsening**.
- * Utilize the **Aspirin Diagnostic & Instruction Tool** – **if authorized** by local **Medical Control** **and** the patient is **alert** and **≥ 16 years old**.

DLS * Link to  X-1 unless:

INEFFECTIVE BREATHING and **Not alert**  **ABC-1**

LEVELS	#	DETERMINANT DESCRIPTORS	CODES	RESPONSES	MODES
D	1	Not alert	10-D-1		
	2	DIFFICULTY SPEAKING BETWEEN BREATHS	10-D-2		
	3	CHANGING COLOR	10-D-3		
	4	Clammy	10-D-4		
C	1	Abnormal breathing	10-C-1		
	2	Heart attack or angina history	10-C-2		
	3	Cocaine	10-C-3		
	4	Breathing normally ≥ 35	10-C-4		
A	1	Breathing normally < 35	10-A-1		

Emergency Medical Dispatch

10. Chest Pain / Chest Discomfort (Non-Traumatic)					
10A01	Breathing normally < 35	2958			
10C00	Override	2958	2971/ 2961	2957	Any ALS
10C01	Abnormal breathing	2958	2971/ 2961	2957	Any ALS
10C02	Cocaine	2958	2971/ 2961	2957	Any ALS
10C03	Breathing normally ≥ 35	2958	2971/ 2961	2957	Any ALS
10D00	Override	2958	2971/ 2961	2957	Any ALS
10D01	Not alert	2958	2971/ 2961	2957	Any ALS
10D02	DIFFICULTY SPEAKING BETWEEN BREATHS	2958	2971/ 2961	2957	Any ALS
10D03	CHANGING COLOR	2958	2971/ 2961	2957	Any ALS
10D04	Clammy or cold sweats	2958	2971/ 2961	2957	Any ALS
10D05	Heart attack or angina history	2958	2971/ 2961	2957	Any ALS



Medical Emergencies

- No medical call is “routine.”
- Many EMS calls present situations that cannot be adequately addressed by a two-person ambulance crew.
- Most require assessing the patient, obtaining their vital signs, providing oxygen therapy, and moving them, at a minimum.
- Crews may also need to place an advanced airway, administer drugs intravenously, or monitor cardiac conditions.
- All of these procedures are completed more efficiently when the appropriate amount of help is on scene.



Medical Emergencies

- Additionally, if the patient is critically ill or not able to walk and must be carried to our stretcher, the additional people staffing the fire engine ensure that patient care needs are met in a timely and safe manner.
- Also, because medical emergencies sometimes occur in hazardous environments such as on a freeway or at the scene of a crime, a two-unit response provides for greater level safety of patients, fire department personnel, and bystanders.




2020 EMS Calls For Service

- In 2020 Sussex Fire Department responded to 521 Rescue and Emergency Medical Service (EMS) Incidents.
- Of those 521 calls, 238 required the assistance of a fire engine (46% of our calls).
- 20 of the 238 calls requiring the assistance of a fire engine were for motor vehicle accidents.



Fire Engine Response to Motor Vehicle Accidents

- Our fire engines carries our vehicle extrication equipment.
- The fire engines also plays a crucial role in the State of Wisconsin's Traffic Incident Management Enhancement (TIME) plan while operating on motor vehicle accidents.
- The TIME Program is a comprehensive multi-agency, multi-discipline program, led by the Wisconsin Department of Transportation (WisDOT), dedicated to:
 - Improving responder safety
 - Enhancing the safe, quick clearance of traffic incidents
 - Supporting prompt, reliable, interoperable communications



Additional Benefits of Fire Apparatus Response on Medical Calls

- Forcible entry capabilities
- Access to residence via ground ladders
- Technical Rescue Capabilities (Elevated and high angle medical calls, confined space rescue, trench rescue).
- Decontamination of patients exposed to hazardous materials.
- Self-breathing apparatus and gas monitoring equipment in the event of Immediately Dangerous to Life or Health (IDLH) Atmospheres.
- Ability to ventilate hazardous atmospheres.



Neighboring Municipalities That Respond an Engine on Medical Calls

- Pewaukee Fire Department
- Waukesha Fire Department
- Brookfield Fire Department
- New Berlin Fire Department
- Menomonee Falls Fire Department
- West Allis Fire Department
- Wauwatosa Fire Department
- North Shore Fire Department
- Milwaukee Fire Department



No Fire Engine Response

- 54% of our EMS calls did not require a response of a fire engine.
- This allowed two members remain available for response to calls for service within the community.
- Including staffing the second ambulance, or being able to initiate a fire response.
- As full-time staffing levels increase in the next two years we will be able to keep three members available to respond to calls for service within the community.



Vehicle Responses in 2020

- 2958 (Frontline Ambulance) – 637 calls
- 2957 (Reserve Ambulance) – 22 Calls
- 2961 (Frontline Engine) – 103 Calls
- 2971 (Frontline Aerial/Quint) – 341 Calls



Fuel Expenses in 2020

- 2958 (Frontline Ambulance) – \$2,859.39
- 2957 (Reserve Ambulance) – \$189.20
- 2961 (Frontline Engine) – \$660.64
- 2971 (Frontline Aerial/Quint) – \$1,740.27



Vehicle Cost Per Call

- 2958 (Frontline Ambulance) – \$4.49/call
- 2957 (Reserve Ambulance) – \$8.60/call
- 2961 (Frontline Engine) – \$6.41/call
- 2971 (Frontline Aerial/Quint) – \$5.10/call



Conclusion

- Efficient care is our goal, and efficient care often is the difference between life and death.
- Unfortunately, units have no way of knowing what they will encounter on a call until they arrive.
- They work in a “what if” and “all risk” business. Responding to the unknown is public safety.